

H

Claims

I claim:

- [0065] 1. An excavator and backhoe attachment adapter comprising;
- A. a body,
 - I. the body having an arm attachment means,
 - II. the body having an implement attachment means.
- [0066] 2. An excavator and backhoe attachment adapter according to claim 1, further comprising;
- A. the body having a first hollow beam and an opposite, spaced apart second hollow beam,
 - B. the body having a first hollow cross beam and an opposite, spaced apart, second hollow cross beam,
 - I. the first hollow cross beam being attached to the first hollow beam and the second hollow beam,
 - II. the second hollow cross beam being attached to the first hollow beam and the second hollow beam.
- [0067] 3. An excavator and backhoe attachment adapter according to claim 2, further comprising;
- A. the arm attachment means including a mounting plate,
 - I. the mounting plate being attached to the first hollow beam and the second hollow beam,

- B. the arm attachment means including a bushing mount,
 - I. the bushing mount being attached to the mounting plate,
 - II. the bushing mount having a bushing mount hole,
 - a. the bushing mount hole having bushing mount hole diameter,
- C. the arm attachment means including a bushing,
 - I. the bushing having bushing exterior diameter,
 - a. the bushing exterior diameter being less than the bushing mount hole diameter,
 - II. the bushing being located within the bushing mount hole.

[0068] 4. An excavator and backhoe attachment adapter according to claim 2, further comprising;

- A. the second hollow cross beam being tubular in form.

[0069] 5. An excavator and backhoe attachment adapter according to claim 2, further comprising;

- A. the arm attachment means mounting plate including a cut out.

[0070] 6. An excavator and backhoe attachment adapter according to claim 2, further comprising;

- A. the body having a brace,
 - I. the brace being attached to the first hollow beam and the second hollow beam,
 - II. the brace being located proximate to the second hollow cross beam.

[0071] 7. An excavator and backhoe attachment adapter according to claim 2, further

comprising;

- A. the implement attachment means being attached to the first hollow beam, the first cross beam and the second hollow beam.

[0072] 8. The implement attachment means according to claim 7, further comprising;

- A. the implement attachment means being a plate having length, height, and thickness,
 - I. the implement attachment means having holes passing through the plate thickness,
 - II. the implement attachment means having a bottom lip.

[0073] 9. An excavator and backhoe attachment adapter according to claim 1, further comprising;

- A. the body having a first hollow beam and an opposite, spaced apart second hollow beam,
- B. the body having a first hollow cross beam and an opposite, spaced apart, second hollow cross beam,
 - I. the first hollow cross beam being attached to the first hollow beam and the second hollow beam,
 - II. the second hollow cross beam being attached to the first hollow beam and the second hollow beam,
 - a. the second hollow cross beam being box like in form.

[0074] 10. An excavator and backhoe attachment adapter according to claim 2, further comprising;

- A. the arm attachment means including a mounting plate,

- I. the mounting plate being attached to the first hollow beam and the second hollow beam,
- B. the arm attachment means including a first upright arm attachment plate and an opposite and spaced apart second upright arm attachment plate,
 - I. the first upright arm attachment plate and the second upright arm attachment plate being parallel to one another,
 - II. the first upright arm attachment plate and the second upright arm attachment plate being identical to and mirror images of one another,
 - a. the first upright arm attachment plate having a first hole and a second hole passing through it,
 - i. the first upright arm attachment plate first hole and second hole each having an arm mount sleeve passing through and mounted within them.

[0075] 11. An excavator and backhoe attachment adapter according to claim 10, further comprising;

- A. the second hollow cross beam being identical in form to the first hollow beam.

[0076] 12. An excavator and backhoe attachment adapter according to claim 10, further comprising;

- A. the arm attachment means mounting plate being attached to the second hollow cross beam.

[0077] 13. An excavator and backhoe attachment adapter according to claim 10, further comprising;

- A. the implement attachment means being attached to the first hollow beam, the first hollow cross beam and the second hollow beam.

[0078] 14. The implement attachment means according to claim 13, further comprising;

- A. the implement attachment means being a plate having length, height, and thickness,
 - I. the implement attachment means having holes passing through the plate thickness,
 - II. the implement attachment means having a bottom lip.

[0079] 15. An implement comprising; /

- A. a manbasket having adapter attachment means,
 - I. the adapter attachment means being sized and shaped for attachment to an implement attachment means.